

Numer	Nazwa	Ilość	Klasa	Długość (mm)	Szerokość (mm)	Waga elementu (kg/szt.)	Łącznie Waga (kg)	Powierzchnia elementu (m²/szt.)	Łącznie Powierzchnia (m²)	Pow. (m²)
RHS150x4										
kr-3	RHS150x4	16	S355	9 518		171,3	2 741,1	5,577	89,237	
		16		152 282			2 741,1		89,237	
RHS160x5										
kr-26	RHS160x5	2	S355	9 519		226,6	453,1	5,931	11,861	
		2		19 039			453,1		11,861	
Z 200x6860x2										
pt-2	Z 200x6860x2	20	S350GD	6 946		38,4	768,7	4,931	98,618	
pt-3	Z 200x6860x2	16	S350GD	6 946		38,4	615	4,931	78,895	
pt-4	Z 200x6860x2	14	S350GD	6 855		37,9	531,1	4,866	68,128	
pt-8	Z 200x6860x2	10	S350GD	6 855		37,9	379,3	4,866	48,663	
pt-18	Z 200x6860x2	7	S350GD	6 955		38,5	269,4	4,937	34,561	
pt-19	Z 200x6860x2	7	S350GD	6 955		38,5	269,4	4,937	34,561	
pt-20	Z 200x6860x2	6	S350GD	7 000		38,7	232,4	4,97	29,818	
pt-21	Z 200x6860x2	6	S350GD	6 645		36,8	220,6	4,718	28,305	
pt-22	Z 200x6860x2	6	S350GD	6 645		36,8	220,6	4,718	28,305	
pt-23	Z 200x6860x2	6	S350GD	4 745		26,3	157,6	3,369	20,212	
pt-24	Z 200x6860x2	6	S350GD	4 745		26,3	157,6	3,369	20,212	
pt-26	Z 200x6860x2	5	S350GD	7 000		38,7	193,7	4,97	24,848	
pt-27	Z 200x6860x2	5	S350GD	6 641		36,7	183,7	4,714	23,572	
pt-28	Z 200x6860x2	5	S350GD	5 825		32,2	161,2	4,135	20,677	
pt-29	Z 200x6860x2	5	S350GD	4 615		25,5	127,7	3,276	16,382	
pt-34	Z 200x6860x2	4	S350GD	6 641		36,7	147	4,714	18,858	

Numer	Nazwa	Ilość	Klasa	Długość (mm)	Szerokość (mm)	Waga elementu (kg/szt.)	Łącznie Waga (kg)	Powierzchnia elementu (m²/szt.)	Łącznie Powierzchnia (m²)	Pow. (m²)
pl-35	Z 200x6860x2	4	S350GD	5 825		32,2	128,9	4,135	16,542	
pl-36	Z 200x6860x2	4	S350GD	4 615		25,5	102,2	3,276	13,106	
pl-37	Z 200x6860x2	3	S350GD	6 855		37,9	113,8	4,866	14,599	
pl-39	Z 200x6860x2	2	S350GD	6 946		38,4	76,9	4,931	9,862	
pl-40	Z 200x6860x2	2	S350GD	6 946		38,4	76,9	4,931	9,862	
pl-41	Z 200x6860x2	2	S350GD	6 641		36,7	73,5	4,714	9,429	
pl-42	Z 200x6860x2	2	S350GD	5 825		32,2	64,5	4,135	8,271	
pl-43	Z 200x6860x2	1	S350GD	7 000		38,7	38,7	4,97	4,97	
pl-44	Z 200x6860x2	1	S350GD	6 855		37,9	37,9	4,866	4,866	
pl-45	Z 200x6860x2	1	S350GD	6 645		36,8	36,8	4,718	4,718	
pl-46	Z 200x6860x2	1	S350GD	6 645		36,8	36,8	4,718	4,718	
pl-47	Z 200x6860x2	1	S350GD	6 641		36,7	36,7	4,714	4,714	
pl-48	Z 200x6860x2	1	S350GD	6 641		36,7	36,7	4,714	4,714	
pl-49	Z 200x6860x2	1	S350GD	6 641		36,7	36,7	4,714	4,714	
pl-50	Z 200x6860x2	1	S350GD	6 475		35,8	35,8	4,597	4,597	
pl-51	Z 200x6860x2	1	S350GD	6 475		35,8	35,8	4,597	4,597	
pl-52	Z 200x6860x2	1	S350GD	6 421		35,5	35,5	4,558	4,558	
pl-53	Z 200x6860x2	1	S350GD	6 421		35,5	35,5	4,558	4,558	
pl-54	Z 200x6860x2	1	S350GD	6 375		35,3	35,3	4,526	4,526	
pl-55	Z 200x6860x2	1	S350GD	6 375		35,3	35,3	4,526	4,526	
pl-56	Z 200x6860x2	1	S350GD	6 375		35,3	35,3	4,526	4,526	
pl-57	Z 200x6860x2	1	S350GD	6 375		35,3	35,3	4,526	4,526	
pl-58	Z 200x6860x2	1	S350GD	5 825		32,2	32,2	4,135	4,135	
pl-59	Z 200x6860x2	1	S350GD	4 745		26,3	26,3	3,369	3,369	
pl-60	Z 200x6860x2	1	S350GD	4 745		26,3	26,3	3,369	3,369	

Numer	Nazwa	Ilość	Klasa	Długość (mm)	Szerokość (mm)	Waga elementu (kg/szt.)	Łącznie Waga (kg)	Powierzchnia elementu (m²/szt.)	Łącznie Powierzchnia (m²)	Pow. (m²)
pl-61	Z 200x6860x2	1	S350GD	4 615		25,5	25,5	3,276	3,276	
pl-62	Z 200x6860x2	1	S350GD	4 615		25,5	25,5	3,276	3,276	
pl-63	Z 200x6860x2	1	S350GD	4 615		25,5	25,5	3,276	3,276	
pl-64	Z 200x6860x2	1	S350GD	4 615		25,5	25,5	3,276	3,276	
pl-65	Z 200x6860x2	1	S350GD	4 615		25,5	25,5	3,276	3,276	
		170		1 089 337			6 028,5		773,367	

BL2

bl-180	BL2x220x118	4	S355	220	118	0,4	1,6	0,053	0,212	0,026
bl-233	BL2x240x220	2	S355	240	220	0,8	1,7	0,107	0,215	0,053
bl-43	BL2x300x240	32	S355	300	240	1,1	36,2	0,146	4,677	0,072
bl-234	BL2x300x240	2	S355	300	240	1,1	2,3	0,146	0,292	0,072
		40					41,7		5,397	2,657

BL4

bl-142	BL4x100x100	8	S355	100	100	0,3	2,5	0,022	0,173	0,01
		8					2,5		0,173	0,08

BL6

bl-22	BL6x90x90	60	S355	90	90	0,4	22,9	0,018	1,102	0,008
bl-55	BL6x100x80	16	S355	100	80	0,4	6	0,018	0,291	0,008
bl-56	BL6x110x80	28	S355	110	80	0,4	11,6	0,02	0,557	0,009
bl-25	BL6x110x90	32	S355	110	90	0,5	14,9	0,022	0,71	0,01
bl-29	BL6x120x60	31	S355	120	60	0,3	10,5	0,017	0,513	0,007
bl-14	BL6x130x50	66	S355	130	50	0,3	19,5	0,015	0,964	0,006
bl-161	BL6x130x50	6	S355	130	50	0,3	1,8	0,015	0,088	0,006